



Revision: 1.0 - 12th July 2021 Code: 401GM

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product name
 Newton HydroBond-SAGM

Product code 401M

Relevant identified uses of the substance and uses advised against

• Use of substance/mixture Corrosion protection

Uses advised against
 No specific uses advised against are identified

Details of the Supplier of the Material Safety Data Sheet

Company Address
 Newton Waterproofing Systems, Newton House, 17-20 Sovereign

Way, Tonbridge, Kent TN9 1RH

Web www.newtonwaterproofing.co.uk

Email address of the competent person

info@newtonwaterproofing.co.uk

Emergency telephone number +44 (0)1732 360095: 08:00/17:30 (GMT) Mon-Thur & 08:00/17:00 (GMT) Fri

2. HAZARDS IDENTIFICATION

2.1 Classification of the Substance or Mixture Product Identifier

Physical Hazards Not Classified
 Health hazards Not Classified
 Environmental hazards Not Classified

2.2 Label Elements

Hazard statements
 Not Classified

2.3 Other Hazards

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixture

Hazardous Substances
 None of the ingredients are required to be listed

4. FIRST AID MEASURES

4.1 Description of First Aid Measures

Get medical attention if any discomfort continues. Show this Safety Data

Sheet to the medical personnel

Inhalation
 Move affected person to fresh air and keep warm and at rest in a position

comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention. Place unconscious person on their side in the recovery position

and ensure breathing can take place

Type A - Self-Adhesive Gas & Waterproofing Membrane

Ingestion
 Rinse mouth thoroughly with water. Give a few small glasses of water or

milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that

vomit does not enter the lungs. Never give anything by

mouth to an unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.

Place unconscious person on their side in the recovery position and ensure

breathing can take place. Maintain an open airway. Loosen

tight clothing such as collar, tie or belt

Skin contact
 Wash skin thoroughly with soap and water. Do not use organic solvents

Eye contact
 Rinse immediately with plenty of water. Remove any contact lenses and

open eyelids wide apart. Continue to rinse for at least 10 minutes

Protection of first-aiders
 No specific requirements are anticipated under normal conditions of use.

First aid personnel should wear appropriate protective equipment during

any rescue

4.2 Most Important Symptoms and Effects, Both Acute and Delayed

General information
 See Section 11 for additional information on health hazards. The severity of

the symptoms described will vary dependent on the concentration and the

length of exposure

Inhalation
 Ingestion
 No specific symptoms known
 No specific symptoms known

Skin contact
 Prolonged contact may cause dryness of the skin

Eye contact
 No specific symptoms known. May be slightly irritating to eyes

4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed

Notes for the doctor
 Treat symptomatically

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

• Suitable extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam,

carbon dioxide, dry powder or water fog. Use fire-extinguishing

media suitable for the surrounding fire

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire

5.2 Special Hazards Arising from the Material

Specific hazards
 None known

Hazardous combustion products
 Thermal decomposition or combustion products may include the following

substances: Toxic gases or vapours

5.3 Advice for Firefighters

Protective actions during firefighting Avoid breathing fire gases or vapours. Evacuate area

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves)

will provide a basic level of protection for chemical incidents

Type A - Self-Adhesive Gas & Waterproofing Membrane

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Personal precautions
 No action shall be taken without appropriate training or involving any

personal risk. Keep unnecessary and unprotected personnel away from the

spillage. Wear protective clothing as described in Section 8

of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Do not

touch or walk into spilled material

6.2 Environmental Precautions Avoid discharge into drains or watercourses or onto the ground. Insoluble

in water. Aquatic toxicity is unlikely to occur. Collect spillage.

6.3 Methods and Materials for Containment and Cleaning Up

Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For

waste disposal, see Section 13

6.4 Reference to Other Sections For personal protection, see Section 8. See Section 11 for additional

information on health hazards. See Section 12 for additional information on

ecological hazards. For waste disposal, see Section 13

7. HANDLING AND STORAGE

7.1 Precautions for Safe Handling

 User precautions
 Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food,

drink and animal feeding stuffs. Do not handle until all safety precautions

have been read and understood

Advice on general, occupational hygiene

Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily

before leaving workplace

7.2 Conditions for Safe Storage, Including Any Incompatibilities

• Storage precautions Store away from incompatible materials (see Section 10). Keep away from

oxidising materials, heat and flames. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep

containers upright. Protect containers from damage

Storage class
 Unspecified storage

7.3 Specific End Use(es) The identified uses for this product are detailed in Section 1.2

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control Parameters

Ingredient comments
 No dust formed during normal use

8.2 Exposure Controls

Protective equipment



Type A - Self-Adhesive Gas & Waterproofing Membrane

8.2.2 Personal Protective Equipment

Appropriate engineering Provide adequate ventilation. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimise

exposure

Eye / face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment

for eye and face protection should comply with European Standard EN166

• Skin protection

(i) Hand Protection Chemical-resistant, impervious gloves complying with an approved

standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any

deterioration is detected. Frequent changes are recommended

(ii) Other Appropriate footwear and additional protective clothing complying

Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates

skin contamination is possible

Hygiene measures
 Wash after use and before eating, smoking and using the toilet. Do not eat,
 drink or smoke when using this product. Contaminated work clothing

should not be allowed out of the workplace. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using

the toilet. When using do not eat, drink or smoke

• Respiratory protection Respiratory protection complying with an approved standard should be

worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14387. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136.

Half mask and quarter mask respirators with replaceable filter cartridges

should comply with European Standard EN140

Thermal hazards
 NDA

Environmental Keep container tightly sealed when not in use

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties

Appearance

(i) Form Solid (ii) Colour White

Odour Characteristic
 Odour threshold Not available

N. . .

pH
 Not relevant

Melting point
 No data available

Initial melting point and range Not relevant

Flash point/self-ignition °C Not relevant

Evaporation rate
 Not relevant

Type A - Self-Adhesive Gas & Waterproofing Membrane

Flammability
 Vapour pressure
 Vapour density
 Relative density
 Solubility(ies)
 Not available
 Insoluble in water

Partition coefficient
 No information available

Auto-ignition temperature
 Decomposition Temperature
 Viscosity
 Not relevant
 Not available

Explosive properties
 Not considered to be explosive

Oxidising properties
 Does not meet the criteria for classification as oxidising

9.2 Other Information

10. STABILITY AND REACTIVITY

10.1 Reactivity See the other subsections of this section for further details

10.2 Chemical Stability Stable at normal ambient temperatures and when used as recommended.

Stable under the prescribed storage conditions

10.3 Possibility of Hazardous Reactions No potentially hazardous reactions known

10.4 Conditions to AvoidThere are no known conditions that are likely to result in a hazardous

situation

10.5 Incompatible Materials to Avoid No specific material or group of materials is likely to react with the product

to produce a hazardous situation

10.6 Hazardous Decomposition Products Does not decompose when used and stored as recommended. Thermal

decomposition or combustion products may include the following

substances: Harmful gases or vapours

11. TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects

Accute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met

Accute toxicity - dermal

Notes (oral LD_{50}) Based on available data the classification criteria are not met

Accute toxicity - inhalation

Notes (inhilation LC₅₀) Based on available data the classification criteria are not met

Skin corrosion/irritation

Animal data

Based on available data the classification criteria are not met

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met

Respiratory sensitisation

Respiratory sensitisationBased on available data the classification criteria are not met

Skin sensitisation

Skin sensitisationBased on available data the classification criteria are not met

Germ cell mutagenicity

Genotoxicity - in vitroBased on available data the classification criteria are not met

Type A - Self-Adhesive Gas & Waterproofing Membrane

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met

IARC carcinogenicity

No component of this product present at levels greater than or equal to

0.1% is identified as probable, possible or confirmed human carcinogen by

IARC

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met

Reproductive toxicity - development

Based on available data the classification criteria are not met

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after a single exposure

Aspiration hazard

Aspiration hazard Not relevant. Solid

General information The severity of the symptoms described will vary dependent on the

concentration and the length of exposure

InhalationNo specific symptoms knownIngestionNo specific symptoms known

Skin contact Prolonged contact may cause dryness of the skin

Eye contactNo specific symptoms knownRoute of exposureSkin and/or eye contact IngestionTarget organsNo specific target organs known.

12. ECOLOGICAL INFORMATION

Ecotoxicity Not regarded as dangerous for the environment

12.1 Toxicity

Toxicity
 Based on available data the classification criteria are not met

112.2. Persistence and degradability

Persistence and degradability
 The degradability of the product is not known

12.3. Bioaccumulative potential

• Bioaccumulative potential No data available on bioaccumulation

Partition coefficient
 Not available

12.4. Mobility in soil

Mobility The product is insoluble in water

12.5. Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB

12.6. Other adverse effects

Other adverse effects
 None known

Type A - Self-Adhesive Gas & Waterproofing Membrane

13. DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods

General information The generation of waste should be minimised or avoided wherever possible.

This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. Reuse or recycle products wherever possible. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product

residues and hence be potentially hazardous

Disposal method for material Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues,

empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Incineration or landfill should only be considered when recycling

is not feasible

14. TRANSPORT INFORMATION

General information The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID)

14.1 UN Number

Not applicable

14.2 UN Proper Shipping Name

Not applicable

14.3 Transportation Hazard Class(es)

No transport warning sign required

14.4 Packing Group

Not applicable

14.5 Environmental Hazards

Environmentally hazardous No Marine pollutant Nο

14.6 Special Precautions for User

Not applicable

14.7 Transport in Bulk According to:

(i) Annex II of Marpol Not applicable (ii) the IBC Code Not applicable

15. REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance, Mixture or Article

National regulations Health and Safety at Work etc. Act 1974 (as amended).

> The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment

Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]

EH40/2005 Workplace exposure limits

Type A - Self-Adhesive Gas & Waterproofing Membrane

P EU Legislation Regulation (EC) No 1907/2006 of the European Parliament and of the

Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and

Restriction of Chemicals (REACH) (as amended)

Commission Regulation (EU) No 2015/830 of 28 May 2015.

Regulation (EC) No 1272/2008 of the European Parliament and of the

Council of 16

December 2008 on classification, labelling and packaging of substances and

mixtures (as amended).

15.2 Chemical Safety Assessment No chemical safety assessment has not been carried out

Inventories - EU - EINECS/ELINCS None of the ingredients are listed or exempt

16. OTHER INFORMATION

Abbreviations and acronyms used in the safety data sheet

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road

ADN: European Agreement concerning the International Carriage of

Dangerous Goods by Inland Waterways

RID: European Agreement concerning the International Carriage of

Dangerous Goods by Rail

IATA: International Air Transport Association

ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by

Air

IMDG: International Maritime Dangerous Goods

CAS: Chemical Abstracts Service

ATE: Acute Toxicity Estimate

LC₅₀: Lethal Concentration to 50 % of a test population

LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose)

EC₅₀: 50% of maximal Effective Concentration

PBT: Persistent, Bioaccumulative and Toxic substance

vPvB: Very Persistent and Very Bioaccumulative